

### INSTALLATION GUIDE CLASSIC LINE 925

**CEILING SYSTEM** 



### PACKAGE CONTENT CLASSIC LINE 925



- I. System Classic Line 925
- 2. Clip frame
- 3. Transformer / Power supply
- 4. 2 filters
- 5. Evaporation fleece
- 6. 500 ml messenger substance mixture (not included in delivery)
- 7. 4 screws for standard installation (not listed)




# INSTRUCTIONS FOR STANDARD INSTALLATION


**CLASSIC LINE 925** 

### STANDARD INSTALLATION

I. Open the device unlatching the two levers. Take the underpart of the device out of the top piece, by unmounting the braces of the underpart.



2. Draw via the provided clip-frame the desired cutout of the diameter for the device.



### STANDARD INSTALLATION

3. Set the frame in the cut-out sector and attach it with scotch tape to prevent the sliding away of the frame during installation.





- 4. Plug the transformer into the power socket (this should be found in the ceiling).
- 5. Plug the power point into the device.



#### STANDARD INSTALLATION

6. Maneuver the device, by holding it sideways (careful of power-plug), into the cut-out opening and attach the device with the provided screws to the ceiling.



- 7. Hang the underpart of the device back into the top piece.
- 8. Fill the device according to instructions in the user's guide.





## INSTALLATION WITH THREADED RODS

**CLASSIC LINE 925** 

#### INSTALLATION WITH THREADED RODS

- I. Hold the clip-frame with the clips down (please mind the tag dots) and affix it with 4 screws (not proviced in the delivery) to the holes underneath.
- 2. Attach to the ceiling with threaded rods (available on request) and also to the device.



3. Fill the device according to instructions in the user's guide.



### INSTALLATION UNDER THE CEILING

**CLASSIC LINE 925** 

#### INSTALLATION UNDER THE CEILING

- I. Hold the clip-frame with the clips down (please mind the tag dots) and affix it with 4 screws (not proviced in the delivery) to the holes underneath.
- 2. The unit can now be directly mounted to the ceiling.



3. Fill the device according to instructions in the user's guide.





#### FOR QUESTIONS WE ARE AT YOUR DISPOSAL:

Air Creative AG / Grorymab AG Ferggerweg 5 CH-3380 Wangen an der Aare

www.aircreative.com info@aircreative.com

Phone +41 32 510 50 80

Air Creative GmbH Gewerbestrasse 13 DE-79618 Rheinfelden

www.aircreative.com info@aircreative.com

Phone +49 69 967 59 005 Fax +49 69 967 59 005